



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/676,409

10/01/2003

Lihui Zhang

6741P002

8065

45062

7590

09/12/2008

SAP/BSTZ

BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP

1279 OAKMEAD PARKWAY

SUNNYVALE, CA 94085-4040

EXAMINER

IWARERE, OLUSEYE

ART UNIT

PAPER NUMBER

3687

MAIL DATE

DELIVERY MODE

09/12/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/676,409	Applicant(s) ZHANG ET AL.	
	Examiner OLUSEYE IWARERE	Art Unit 3687	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 July 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 01 October 2003 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is a First Office Action Non-Final rejection on the merits. Amendments to claims 1, 4, 10 and 14 have been entered. Claims 1 - 19 are currently pending and have been considered below.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on *** has been entered.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 3687

4. Claims 1, 2, 4, 5, 7 – 10, 13 – 16, 18 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arunapuram et al. (2002/0019759) in view of Morimoto (7,035,856).

As per claim 1, Arunapuram discloses, an apparatus comprising:
a demand order module to receive an order for a set of products to be shipped to a target location ([0034]; via specifically, referring to FIG. 2, after shipping orders are received 201, a first manager module);
an order guideline module including a set of constraints for a shipment from one of a set of a source locations to the target location ([0034]; via the problem-solver ("PS") module 300 of FIG. 3, plans at step 202 optimal freight movements between a initial pick-up location and a final drop-off location); and
a processing device to execute the route determination module ([0034]; via at step 203, the optimal freight movements are planned in step 202 are executed and tracked by a second manager module, the execution ("EX") module 400 of FIG. 4).

However, Arunapuram fails to explicitly disclose a route determination module to select at least one source location from the set of source locations having the set of products when the order for the set of products is fulfilled based on a cost factor and a utilization of a capacity of a set of transports.

Morimoto teaches a system and method for tracking and routing shipped items with the feature of a route determination module to select at least one source location from the set of source locations having the set of products when the order for the set of

Art Unit: 3687

products is fulfilled based on a cost factor and a utilization of a capacity of a set of transports ([abstract]) discusses determining a route from a subset of source locations.

From this teaching of Morimoto, it would have been obvious to modify the system and method of Arunapuram, to include the route determination module taught by Morimoto in order to provide adequate routing for the items.

As per claim 2, Arunapuram further discloses comprising:

a storage device to store at least one of the demand order module, the guideline module, and the route determination module ([0007]; via the parcel ID and its location information are then transmitted by the host computer to one or more web servers, each including a database for storing a record of the parcel ID's scanned at each location).

As per claim 4, Arunapuram discloses,

prioritizing a set of shipping rule groups based on a cost factor associated with the set of source locations and the target location ([0055]; via a particularly advantageous feature of the present invention involves the use of priority routing rules in the PS database that enable a transportation planning manager to influence the creation of loads and freight movements when lowest cost is not the most important consideration);

and selecting a subset of the set of source locations and a subset of the shipping rule groups based on the cost factor and a utilization of a capacity of a set of transports

Art Unit: 3687

([0055]; via typically, after it identifies all potential suitable freight movements for each order, the PS logic identifies the lowest cost transportation solution).

However, Arunapuram fails to explicitly disclose identifying a set of source locations having a set of desired resources for a target location when an order for the set of desired resources is fulfilled.

However, Arunapuram fails to explicitly disclose identifying a set of source locations having a set of desired resources for a target location when an order for the set of desired resources is filled.

Morimoto teaches a system and method for tracking and routing shipped items with the feature of identifying a set of source locations having a set of desired resources for a target location when an order for the set of desired resources is fulfilled ([abstract] discusses identifying a set of source locations).

From this teaching of Morimoto, it would have been obvious to modify the system and method of Arunapuram, to include the identifying of a set of source locations taught by Morimoto in order to further provide adequate routing for the items.

As per claim 5, Arunapuram discloses, wherein selecting comprises:

searching iteratively through the set of shipping rule groups ([0113]; Once received, carriers can review tender offers and electronically provide an acceptance or decline (the EX monitoring this acceptance/decline communication at step 606) of the tender offer to the execution module 400 via response interface 412. The EX logic can

Art Unit: 3687

then re-route any declined orders back to the problem-solver module 300 as unexecuted orders 411 through unexecuted freight movement interface 410 for selection of a different carrier or transportation solution. Fig. 6 also illustrates iterative searching through a control loop) in order of priority for a shipping solution ([0055]; A particularly advantageous feature of the present invention involves the use of priority routing rules in the PS database that enable a transportation planning manager to influence the creation of loads and freight movements when lowest cost is not the most important consideration).

As per Claim 7, Arunapuram discloses, wherein the set of shipping rule groups includes a default group of shipping rules ([0057]; via These rates are specified in a plurality of tables which are stored in the PS database 402 for use during batch runs. such rate tables are stored therein for each carrier type).

As per claim 8, Arunapuram discloses, wherein the utilization of the capacity of the set of transports is a maximum utilization ([0058]; via when the PS logic begins its batch run at step 603 to generate an optimal freight movement plan (for all orders received since its last batch run) it performs several sub-steps which are detailed in FIG. 7).

As per claim 9, Arunapuram discloses, further comprising:

altering a size of a shipment to utilize a maximum capacity of the set of transports ([0059]; via during a batch run, the problem-solver logic 301 first consolidates various orders and shipments into transportation loads at sub-step 701. Then, a determination is made at sub-step 702 for each load as to the best shipping mode).

As per claim 10, Arunapuram discloses, an apparatus comprising:

a means for ordering a set of shipping rule groups and a subset of source locations based on a cost of shipping to a target location from the set of source locations ([0059]; via the system uses various types of information including data detailing the required freight movements, tables itemizing resource availability and cost, operational requirements of the industry, and general company rules and policies entered by the company's transportation planning manager); and

a means for selecting a subset of the set of shipping rule groups and a subset of the set of source locations ([0010]; This functionality would also allow an organization to dynamically select crossdock and pool point locations (i.e., transportation hubs or through-points) based upon the organization's business requirements and costs) based on the cost of shipping the set of resources from the subset of the set of source locations to the target location and utilization of a set of transports ([0055]; via a particularly advantageous feature of the present invention involves the use of priority routing rules in the PS database that enable a transportation planning manager to

Art Unit: 3687

influence the creation of loads and freight movements when lowest cost is not the most important consideration);

However, Arunapuram fails to explicitly disclose a means for determining a set of source locations having a set of resources when an order for the set of resources is fulfilled.

Morimoto teaches a system and method for tracking and routing shipped items with the feature of a means for determining a set of source locations having a set of resources when an order for the set of resources is fulfilled ([abstract]) discusses determining a route from a subset of source locations.

From this teaching of Morimoto, it would have been obvious to modify the system and method of Arunapuram, to include means for determining a set of source locations taught by Morimoto in order to provide adequate routing for the items.

As per claim 12, Arunapuram discloses, wherein the set of shipping rule groups includes a default shipping rule group ([0054]; via transportation planning managers can, for example, by using the manager interface 404, define route planning rules, create templates that define legs for multiple leg routes and multiple mode routes (the entering of such templates, while done at step 601 prior to a batch run, will be discussed in detail below with respect to step 603).

As per claim 13, Arunapuram discloses, further comprising:

a means for determining all source locations having the set of resources ([0034]; via the problem-solver ("PS") module 300 of FIG. 3, plans at step 202 optimal freight movements between a initial pick-up location and a final drop-off location).

As per claim 14, Arunapuram discloses, a machine readable medium containing therein a set of instructions which when executed cause a machine to perform a set of operations comprising (pg 18, col. 1, lines 59 - 61; via program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform method steps for managing transportation operations for a plurality of orders):

prioritizing a set of order guidelines based on a cost factor for shipping the set of products from the set of source locations to the target location (pg 18, col. 2, lines 6 - 10; via wherein said planning step comprises the sub-steps of generating a plurality of potential freight movements to satisfy each order and identifying the lowest cost freight movement from said plurality of potential freight movements);

and determining a subset of the set of order guidelines and a subset of source locations ([0010]; This functionality would also allow an organization to dynamically select crossdock and pool point locations (i.e., transportation hubs or through-points) based upon the organization's business requirements and costs) based on the cost factor and utilization of a capacity of a set of transports (pg 18, col. 2, lines 49 - 52; via wherein said accounting step comprises the sub-steps of receiving invoices from

Art Unit: 3687

carriers for executed freight movements, allocating actual costs detailed in said invoices to orders).

However, Arunapuram fails to explicitly disclose identifying a set of source locations having a set of desired resources for a target location when an order for the set of desired resources is filled.

Morimoto teaches a system and method for tracking and routing shipped items with the feature of identifying a set of source locations having a set of desired resources for a target location when an order for the set of desired resources is fulfilled ([abstract] discusses identifying a set of source locations).

From this teaching of Morimoto, it would have been obvious to modify the system and method of Arunapuram, to include the identifying of a set of source locations taught by Morimoto in order to further provide adequate routing for the items.

As per claim 15, Arunapuram discloses, the machine readable medium of claim 14, having further instructions stored therein, which when executed cause a machine to perform a set of operations, further comprising (pg 18, col. 1, lines 59 - 61; via program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform method steps for managing transportation operations for a plurality of orders):

searching iteratively through the set of order guidelines in order of priority for a shipping solution (pg 18, col. 2, lines 13 - 15; via wherein said plurality of potential

Art Unit: 3687

freight movements are of types selected from the group consisting of direct routes from origin to destination).

As per claim 16, Arunapuram discloses, the machine readable medium of claim 14, wherein the set of order guidelines includes a default order guideline (pg 18, col. 2, lines 43 – 46; via wherein said status updates are used to automatically update records contained in an order database, said database being accessible by customers, carriers, and locations to review the status of select orders).

As per claim 18, Arunapuram discloses, wherein no product of the set of products is associated with more than one default order guideline ([0038]; via orders received through the order interface 306 have a single origin/destination pair).

As per claim 19, Arunapuram discloses, having further instructions stored therein, which when executed cause a machine to perform a set of operations, further comprising (pg. 18, col. 1, lines 59 - 61; via program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform method steps for managing transportation operations for a plurality of orders):

altering a size of a shipment to utilize a maximum capacity of the set of transports (pg. 19, col. 2, lines 3 - 7; via wherein said problem-solver constructs said optimal freight movements in batch runs, and wherein said batch runs comprise generating a plurality of potential freight movements to satisfy each order).

6. Claims 3, 6, 11 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Arunapuram et al. (2002/0019759) in view of Cappellini (2003/0014286).

As per claim 3, Arunapuram et. al. discloses the claimed invention but fails to explicitly disclose, a loading module to simulate a loading of the shipment of the set of products into the set of transports.

Cappellini teaches a search and retrieval system of transportation-related flexibility defined paths, with the feature of a loading module to simulate a loading of the shipment of the set of products into the set of transports ([0181]; in the preferred embodiment, it is a multidimensional spatial system capable of handling the three dimensions of a physical object, i.e. the width, length and height and the coordinate position within a predetermined space, for example a container) ([0182]; These types of applications can make a mathematical model of the required transport capacities such as the loads, as well as of the available transport capacities such as the cargo containers, in order to substantially simulate the loading conditions within the containing space.) ([0183]; Apart from performing loading operations and optimizations, this type of application can be used or easily adapted for the sole simple use of determining availability of space or capacity, for a new required transport capacity, i.e. to check if a load can conveniently fit in a transporting container that is empty or partially full with other loads).

Art Unit: 3687

From this teaching of Cappellini, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the transportation planning, execution and freight payment manager method of Arunapuram, to include the simulation of loading shipments taught by Cappellini in order to evaluate the feasibility of a shipping arrangement.

As per claim 6, Arunapuram et. al. discloses the claimed invention but fails to explicitly disclose, wherein selecting comprises:

simulating iteratively until the set of desired resources is loaded into the set of transportation units.

Cappellini teaches a search and retrieval system of transportation-related flexibility defined paths, with the feature of simulating iteratively the fulfillment of each group of the set of shipping rules in priority order until the set of desired resources is loaded into the set of transportation units ([0712] In the search to find a possible combination, the system now repeats the processes of FIG. 7 which were applied to an origin-destination pair, to every combination of origin-related first generation path waypoints) ([0182] These types of applications can make a mathematical model of the required transport capacities such as the loads, as well as of the available transport capacities such as the cargo containers, in order to substantially simulate the loading conditions within the containing space).

From this teaching of Cappellini, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the transportation

Art Unit: 3687

planning, execution and freight payment manager method of Arunapuram, to include the iterative simulation of loading shipments taught by Cappellini in order to find the most desired shipping arrangement.

As per claim 11, Arunapuram et al. discloses the claimed invention but fails to explicitly disclose a means for simulating the loading of the set of transports.

Cappellini teaches a search and retrieval system of transportation-related flexibility defined paths, with the feature of a means for simulating the loading of the set of transports([0181]; in the preferred embodiment, it is a multidimensional spatial system capable of handling the three dimensions of a physical object, i.e. the width, length and height and the coordinate position within a predetermined space, for example a container) ([0182]; These types of applications can make a mathematical model of the required transport capacities such as the loads, as well as of the available transport capacities such as the cargo containers, in order to substantially simulate the loading conditions within the containing space.) ([0183]; Apart from performing loading operations and optimizations, this type of application can be used or easily adapted for the sole simple use of determining availability of space or capacity, for a new required transport capacity, i.e. to check if a load can conveniently fit in a transporting container that is empty or partially full with other loads).

From this teaching of Cappellini, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the _ of

Art Unit: 3687

Arunapuram, to include the simulation of loading shipments taught by Cappellini in order to evaluate the feasibility of a shipping arrangement.

As per claim 17, Arunapuram et. al. discloses the claimed invention but fails to explicitly disclose, wherein selecting comprises:

simulating iteratively until the set of desired resources is loaded into the set of transportation units.

Cappellini teaches a search and retrieval system of transportation-related flexibility defined paths, with the feature of simulating iteratively the fulfillment of each group of the set of shipping rules in priority order until the set of desired resources is loaded into the set of transportation units ([0712] In the search to find a possible combination, the system now repeats the processes of FIG. 7 which were applied to an origin-destination pair, to every combination of origin-related first generation path waypoints) ([0182] These types of applications can make a mathematical model of the required transport capacities such as the loads, as well as of the available transport capacities such as the cargo containers, in order to substantially simulate the loading conditions within the containing space).

From this teaching of Cappellini, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the transportation planning, execution and freight payment manager method of Arunapuram, to include the iterative simulation of loading shipments taught by Cappellini in order to find the most desired shipping arrangement.

Response to Arguments

5. Applicant's arguments with respect to claims 1 – 19 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to OLUSEYE IWARERE whose telephone number is (571)270-5112. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew S. Gart can be reached on (571)272-6790. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Matthew S Gart/

Application/Control Number: 10/676,409
Art Unit: 3687

Page 17

Supervisory Patent Examiner, Art
Unit 3687

OI